



WE SUPPORT EVERY ONE

like they're the only one

INDICATIONS & IMPORTANT SAFETY INFORMATION FOR SOLIRIS® (eculizumab)

INDICATIONS

What is SOLIRIS?

SOLIRIS is a prescription medicine used to treat:

- patients with a disease called Paroxysmal Nocturnal Hemoglobinuria (PNH).
- adults and children with a disease called atypical Hemolytic Uremic Syndrome (aHUS). SOLIRIS is not for use in treating people with Shiga toxin E. coli related hemolytic uremic syndrome (STEC-HUS).
- adults with a disease called generalized myasthenia gravis (gMG) who are anti-acetylcholine receptor (AChR) antibody positive.
- adults with a disease called neuromyelitis optica spectrum disorder (NMOSD) who are anti-aquaporin-4 (AQP4) antibody positive.

It is not known if SOLIRIS is safe and effective in children with PNH, gMG, or NMOSD.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about SOLIRIS?

SOLIRIS is a medicine that affects your immune system and can lower the ability of your immune system to fight infections.

- **SOLIRIS increases your chance of getting serious and life-threatening meningococcal infections that may quickly become life-threatening and cause death if not recognized and treated early.**

1. You must receive meningococcal vaccines at least 2 weeks before your first dose of SOLIRIS if you are not vaccinated.
2. If your doctor decided that urgent treatment with SOLIRIS is needed, you should receive meningococcal vaccination as soon as possible.

3. If you have not been vaccinated and SOLIRIS therapy must be initiated immediately, you should also receive two weeks of antibiotics with your vaccinations.
4. If you had a meningococcal vaccine in the past, you might need additional vaccination. Your doctor will decide if you need additional vaccination.
5. Meningococcal vaccines reduce but do not prevent all meningococcal infections. Call your doctor or get emergency medical care right away if you get any of these signs and symptoms of a meningococcal infection: headache with nausea or vomiting, headache and fever, headache with a stiff neck or stiff back, fever, fever and a rash, confusion, muscle aches with flu-like symptoms, and eyes sensitive to light.

Please see additional Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious and life-threatening meningococcal infections.

GETTING TO KNOW ONESOURCE™

OneSource™ is a free, personalized patient support program offered by Alexion. Whether you're newly diagnosed or have had your condition for years, our specialists will be by your side. We can help you make sense of your health insurance coverage, answer questions about your treatment with SOLIRIS® (eculizumab), and connect you to community resources.

We're committed to helping you start and stay on track with your prescribed treatment.

WE SEE HOW EACH PATIENT'S NEEDS ARE UNIQUE, AND WE'RE HERE TO HELP WITH YOURS.



SELECT IMPORTANT SAFETY INFORMATION

Your doctor will give you a Patient Safety Card about the risk of meningococcal infection. Carry it with you at all times during treatment and for 3 months after your last SOLIRIS dose. It is important to show this card to any doctor or nurse to help them diagnose and treat you quickly.

SOLIRIS is only available through a program called the SOLIRIS REMS. Before you can receive SOLIRIS, your doctor must enroll in the SOLIRIS REMS program; counsel you about the risk of meningococcal infection; give you information and a **Patient Safety Card** about the symptoms and your risk of meningococcal infection (as discussed above); and make sure that you are vaccinated with the meningococcal vaccine and, if needed, get revaccinated with the meningococcal vaccine. Ask your doctor if you are not sure if you need to be revaccinated.

Please see additional Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious and life-threatening meningococcal infections.

MEET YOUR ONESOURCE™ TEAM

Our team is specially trained in rare diseases, and each person plays a unique role in helping to support your needs.



Patient Navigator

As you get started on SOLIRIS, your Patient Navigator is here to be your guide.

They can:

- Help you learn more about SOLIRIS
- Answer questions about your rare disease
- Provide educational resources based on your needs
- Help you understand your insurance benefits and alert you if any action is needed to start treatment



Patient Liaison

After your first treatment, your Patient Liaison will be there to support you as often as you need. They can:

- Provide information about your condition and SOLIRIS through brochures and other materials
- Let you know about upcoming community events
- Help you avoid interruptions in your treatment with SOLIRIS during insurance changes, travel plans, or other life events



Patient Education Manager (PEM)

Understanding your disease is important. Your local Patient Education Manager will:

- Host local patient educational initiatives
- Conduct treatment education sessions for patients
- Provide site-of-care disease or treatment education and support

ONESOURCE™ SUPPORT SERVICES

With our experience and resources, we're here to help you feel supported every step of the way. Here's an overview of the services we offer.



Education

When you have questions about your condition or treatment with SOLIRIS® (eculizumab), we'll work to find the answers. Our team of specialists can provide you with:

- Educational materials about your condition
- Details about SOLIRIS
- Information about the treatment process



Health Insurance Navigation

Health insurance can be complicated. We're here to help make sense of it all.

Our team of specialists can help by:

- Providing information that explains your insurance coverage for SOLIRIS
- Addressing financial concerns or gaps in coverage
- Informing you of nearby infusion centers or other treatment location options

SELECT IMPORTANT SAFETY INFORMATION

SOLIRIS may also increase the risk of other types of serious infections. Make sure your child receives vaccinations against *Streptococcus pneumoniae* and *Haemophilus influenzae* type b (Hib) if treated with SOLIRIS. Certain people may be at risk of serious infections with gonorrhea. Certain fungal infections (*Aspergillus*) may occur if you take SOLIRIS and have a weak immune system or a low white blood cell count.

Who should not receive SOLIRIS?

Do not receive SOLIRIS if you have a meningococcal infection or have not been vaccinated against meningitis infection unless your doctor decides that urgent treatment with SOLIRIS is needed.



Community Connections

With OneSource™ by your side, you'll never have to go it alone. Connect with others in the rare disease community who understand your experience. We can share information about:

- In-person and online meetings and events specific to your condition
- Support and resources
- Advocacy groups
- A peer-to-peer program called **Peer Connects**



Ongoing Support

When life takes a turn, OneSource™ is ready to keep you on track. Our team can help:

- Guide you through insurance changes, transitioning to another Alexion medicine, or finding new treatment locations
- Navigate your treatment through life events, such as getting married, starting a new job, moving, or traveling
- Work with your healthcare provider and specialty pharmacy to ensure you keep receiving your medicine as prescribed

**FIND MORE
INFORMATION
ABOUT COPAY
SUPPORT ON
PAGE 6**

Please see additional Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious and life-threatening meningococcal infections.

MORE WAYS TO COUNT ON ONESOURCE™

Here are some additional services we provide to help support you with SOLIRIS® (eculizumab).



Financial Assistance

We can provide information about resources available that may be able to help cover the costs for SOLIRIS.

If you have Medicare, Medicaid, or another federal- or state-funded insurance plan, we can connect you to third-party resources that may be able to help with financial assistance.

If you have commercial insurance, you may be eligible for the **Alexion OneSource™ CoPay Program**, which may be able to help cover some out-of-pocket treatment costs.

To be eligible, you must:

- ✓ Be signed up for patient services through OneSource™
- ✓ Have commercial insurance
- ✓ Be prescribed SOLIRIS for an FDA-approved indication
- ✓ Reside in the United States or its territories

Talk to your healthcare provider or OneSource™ team for more information about financial assistance.



Vaccination Support

If you've been prescribed meningococcal vaccinations by your healthcare provider before starting SOLIRIS, we may be able to help.

We can provide information about meningococcal vaccinations and can help you locate a vaccination center.

To be eligible, you must be:

- ✓ Signed up for patient services through OneSource™
- ✓ Prescribed SOLIRIS for an FDA-approved indication
- ✓ Prescribed meningococcal vaccinations by your healthcare provider

Talk to your healthcare provider or OneSource™ team for more information about vaccination support.



Check out AlexionOneSource.com for any future program additions or updates.

SELECT IMPORTANT SAFETY INFORMATION

Before you receive SOLIRIS, tell your doctor about all of your medical conditions, including if you: have an infection or fever, are pregnant or plan to become pregnant, and are breastfeeding or plan to breastfeed. It is not known if SOLIRIS will harm your unborn baby or if it passes into your breast milk.

SELECT IMPORTANT SAFETY INFORMATION

Tell your doctor about all the vaccines you receive and medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements which could affect your treatment. It is important that you have all recommended vaccinations before you start SOLIRIS, receive 2 weeks of antibiotics if you immediately start SOLIRIS, and stay up-to-date with all recommended vaccinations during treatment with SOLIRIS.

Please see additional Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious and life-threatening meningococcal infections.

FREQUENTLY ASKED QUESTIONS

When you have questions, we're here to help find the answers.

Q If I'm not enrolled in the program, can I still call OneSource™?

Yes. OneSource™ is available to answer questions and provide you with educational materials related to your condition or treatment with SOLIRIS® (eculizumab). Some services, such as contacting your healthcare provider or navigating your health insurance coverage, may require enrolling in the program.

Q I've just been diagnosed. How can I learn more about my condition?

Our team is specially trained on your condition. Call us and we can provide you with educational materials and other useful resources. Remember, information from our specialists does not replace the medical advice of your doctor.

Q Is there local support in my area that I can contact for more information?

Yes. A Patient Education Manager (PEM) is available to help you learn about local educational sessions and events. Visit AlexionOneSource.com to find a PEM nearby.

Q Can I talk to other patients about their experience?

Yes. We can connect you with patients who are experiencing a similar healthcare journey through our phone-based **Peer Connects** program. We also have patient events and other initiatives where you can connect with the greater community. Call OneSource™ or visit AlexionOneSource.com for more information.

SELECT IMPORTANT SAFETY INFORMATION

If you have PNH, your doctor will need to monitor you closely for at least 8 weeks after stopping SOLIRIS. Stopping treatment with SOLIRIS may cause breakdown of your red blood cells due to PNH. Symptoms or problems that can happen due to red blood cell breakdown include: drop in the number of your red blood cell count, drop in your platelet count, confusion, kidney problems, blood clots, difficulty breathing, and chest pain.

Please see additional Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious and life-threatening meningococcal infections.

Q What happens if my insurance or situation changes?

Your OneSource™ team can help you avoid interruptions in treatment when you experience changes in insurance coverage or treatment locations. We can also help when you experience other life events such as moving or starting a new job. Call us and we will work with you and your healthcare provider so that the transition goes smoothly.

Q What will my out-of-pocket costs be?

OneSource™ can help you understand your insurance coverage and estimated out-of-pocket costs for your Alexion treatment. We can also provide information about options for accessing treatment regardless of your insurance coverage.

Q Does OneSource™ provide any financial assistance?

The Alexion OneSource™ CoPay Program may help cover some out-of-pocket treatment costs for eligible patients. If you have Medicare, Medicaid, or another federal- or state-funded insurance plan or if you don't qualify for the CoPay Program, we can connect you to third-party resources that may be able to help with financial assistance. To learn more, call us or visit AlexionOneSource.com.

Q What's next after submitting the start form?

OneSource™ will give you a call within a few business days. Meanwhile, if you have any questions, don't hesitate to call us at 1.888.765.4747.

SELECT IMPORTANT SAFETY INFORMATION

If you have aHUS, your doctor will need to monitor you closely during and for at least 12 weeks after stopping treatment for signs of worsening aHUS symptoms or problems related to abnormal clotting (thrombotic microangiopathy). Symptoms or problems that can happen with abnormal clotting may include: stroke, confusion, seizure, chest pain (angina), difficulty breathing, kidney problems, swelling in arms or legs, and a drop in your platelet count.

GETTING STARTED ON SOLIRIS

You can always call OneSource™ at 1.888.765.4747 to ask for information or to enroll in the program.

To take advantage of all the benefits OneSource™ has to offer, simply fill out the start form. It's available digitally or in print. You can access the form in 3 ways:



AlexionOneSource.com



Your doctor's office



By calling 1.888.765.4747

Your healthcare provider will fill out their section of the start form, which includes your prescription for SOLIRIS® (eculizumab).

NEXT STEPS

- 1 Once the start form has been submitted, OneSource™ will reach out to you and your healthcare provider's office to confirm we have all the information we need.
- 2 Then OneSource™ will review your benefits, including out-of-pocket costs and plan options, and provide information on financial assistance.
- 3 Your healthcare provider will seek prior authorization from your insurance (if applicable) and place the order for SOLIRIS.
- 4 You will receive your SOLIRIS treatment and OneSource™ will reach out to you with ongoing support.

SELECT IMPORTANT SAFETY INFORMATION

What are the possible side effects of SOLIRIS?

SOLIRIS can cause serious side effects including serious infusion-related reactions.

Tell your doctor or nurse right away if you get any of these symptoms during your SOLIRIS infusion: chest pain, trouble breathing or shortness of breath, swelling of your face, tongue, or throat, and feel faint or pass out. If you have an infusion-related reaction to SOLIRIS, your doctor may need to infuse SOLIRIS more slowly, or stop SOLIRIS.

HOW ONESOURCE™ WORKS WITH YOUR HEALTHCARE TEAM

After you make a treatment plan with your healthcare provider, OneSource™ is here to provide personalized support along the way.

✓ Support with insurance coverage and access to treatment

We're here to help if you or your healthcare provider need information on insurance options, vaccination support, or assistance with finding an infusion center that's included in your plan. We can also provide information on available programs that may be able to help with out-of-pocket costs.

✓ Help avoiding interruptions in treatment

Life happens. That's why we're here to work with your healthcare provider to help you stay on track with treatment while traveling, moving, changing insurance, or experiencing other life events.

✓ Ongoing support throughout treatment

OneSource™ is by your side throughout your treatment journey. We're available to answer any questions that you or your healthcare provider may have about treatment logistics and will help make sure you keep receiving your medicine as prescribed.

Information from OneSource™ is not intended to replace the medical advice of your doctor. If you have questions about your specific treatment plan, please reach out to your healthcare provider.

SELECT IMPORTANT SAFETY INFORMATION

The most common side effects in people with PNH treated with SOLIRIS include:

headache, pain or swelling of your nose or throat (nasopharyngitis), back pain, and nausea.

The most common side effects in people with aHUS treated with SOLIRIS include:

headache, diarrhea, high blood pressure (hypertension), common cold (upper respiratory infection), stomach-area (abdominal) pain, vomiting, pain or swelling of your nose or throat (nasopharyngitis), low red blood cell count (anemia), cough, swelling of legs or feet (peripheral edema), nausea, urinary tract infections, and fever.

The most common side effects in people with gMG treated with SOLIRIS include:

muscle and joint (musculoskeletal) pain.

Please see additional Important Safety Information throughout and the accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious and life-threatening meningococcal infections.

AT ONESOURCE™

we're by your side

Whether you've just been diagnosed or have had your condition for years, we have information and resources to help you navigate life with a rare disease. OneSource™ is a free patient support program offered by Alexion designed to support your specific needs throughout treatment.

GET IN TOUCH



PHONE: 1.888.765.4747
8:30 AM to 8 PM ET Monday-Friday



EMAIL: OneSource@Alexion.com



WEBSITE: AlexionOneSource.com

ADD ONESOURCE™ TO YOUR CONTACTS



1. Go to your camera on your mobile device.
2. Scan the QR code on the right.
3. The OneSource™ number, 1.888.765.4747, will be automatically added to your contact list so you'll recognize the caller.

SELECT IMPORTANT SAFETY INFORMATION

The most common side effects in people with NMOSD treated with SOLIRIS include:

common cold (upper respiratory infection), pain or swelling of your nose or throat (nasopharyngitis), diarrhea, back pain, dizziness, flu like symptoms (influenza) including fever, headache, tiredness, cough, sore throat, and body aches, joint pain (arthralgia), throat irritation (pharyngitis), and bruising (contusion).

Tell your doctor about any side effect that bothers you or that does not go away. These are not all the possible side effects of SOLIRIS. For more information, ask your doctor or pharmacist. Call your doctor for medical advice about side effects. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit MedWatch, or call 1-800-FDA-1088.



SOLIRIS, ALEXION, the Alexion logo, and the OneSource logo are registered trademarks of Alexion Pharmaceuticals, Inc., and OneSource™ is a trademark of Alexion Pharmaceuticals, Inc.

© 2021 Alexion Pharmaceuticals, Inc. All rights reserved. US/ALL/0315 06/21